

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S57	15	S54 and S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 18:44
S58	3	S51 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 18:44
S56	2761	S55 and @pd<"20031126"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 18:41
S54	341	S53 and @pd<"20031126"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 18:40
S55	6674	application with file.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 18:40
S52	929	S49.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 18:39
S53	967	S51 or S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 18:39
S50	14	S48 and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 18:38

EAST Search History

S51	41	S48.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 18:38
S1	2	("6389538").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/02 18:36
S48	287	file near8 access near8 signature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 18:36
S49	13847	manage near5 access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 18:36



signature and "access history"

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

The "**AND**" operator is unnecessary – we include all search terms by default. [\[details\]](#)

Scholar [All articles](#) [Recent articles](#) Results **21 - 30** of about **128** for **signature and "access history"**. (0.10)

All Results[P Winder](#)[T Levergood](#)[L Stewart](#)[S Morris](#)[A Payne](#)[Intelligent browser initiated server pushing - group of 8 »](#)

W Tang, MW Mutka - Performance, Computing, and Communications Conference, 2000. ..., 2000 - [ieeexplore.ieee.org](#)

... **history** information is quite expensive, the depth of the **access history** should be ... If the browser transmits the MD5 **signature**, each embedded image in the ...

[Cited by 2](#) - [Related Articles](#) - [Web Search](#)

[Building Association-Rule Based Sequential Classifiers for Web-Document Prediction - group of 6 »](#)

Q Yang, T Li, K Wang - Data Mining and Knowledge Discovery, 2004 - Springer

... Generally speaking, these systems analyze the past **access history** on the web ... enough support values contain more accurate and richer **signature** information about ...

[Cited by 6](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Towards Introducing Code Mobility on J2ME - group of 4 »](#)

LL Petrea, D Grigoras - Parallel and Distributed Computing, 2005. ISPD 2005. The ..., 2005 - [ieeexplore.ieee.org](#)

... the CLDC we will make a simplification and will ignore the **signature** of the ... express a range of security policies tracking only a shallow **access history** of the ...

[Related Articles](#) - [Web Search](#)

[DECIDE: a scheme for decentralized identity escrow - group of 2 »](#)

N Taniguchi, K Chida, O Shionoiri, A Kanai - Proceedings of the 2005 workshop on Digital identity ..., 2005 - [portal.acm.org](#)

... achieve this trust is to ensure that all proxies store no **access history** and any ... revealed to a proxy because DECIDE uses the fair blind **signature** scheme when ...

[Related Articles](#) - [Web Search](#)

[PRIVACY CONCERNS - group of 3 »](#)

H WANG, MKO LEE, C WANG - COMMUNICATIONS OF THE ACM, 1998 - [mmlab.ceid.upatras.gr](#)

... of software the consumer uses, the consumer's Web **access history**, private files or ... by VeriSign is done through a process called Digital **Signature**, in which ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Detecting Unknown Massive Mailing Viruses Using Proactive Methods - group of 4 »](#)

R Hu, AK Mok - Proceedings of the 7th International Symposium on Recent ..., 2004 - Springer

... Specification-based IDSs look for **signatures** of known legitimate activities that ... determines the set of victims based on the CSR **access history** and process ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[WWLib-TNG new direction in search engine technology](#)

JPH Burden, MS Jackson - Lost in the Web-Navigation on the Internet (Ref. No. 1999/ ...,

1999 - [ieeexplore.ieee.org](#)

Page 1. WWLib-TNG - New Directions in Search Engine Technology JPH Birrdm nnd MS)?CkSOll School of Comptrting find informntion Technologj ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

SERAT: SEcure role mApping technique for decentralized secure interoperability - group of 2 »

M Shehab, E Bertino, A Ghafoor - Proceedings of the tenth ACM symposium on Access control ..., 2005 - [portal.acm.org](#)

... We also provide **signature** techniques that ensure the authenticity of the user's ... ideas from the Chinese Wall [2], as the user's **access history** controls his ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#)

Geological Mapping with Rock and Till Sampling on the Doug 1, 2 & 4 Claims, MacDougal Creek, ...

KD Hancock, P Geo - [em.gov.bc.ca](#)

... **History** ... **signatures** of the various lithologies, primarily the volcanic rocks was done in an effort to try and find a geochemical **signature** and provide some ...


[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Advanced practice nurses: roles in the hemodialysis unit - group of 2 »

CM Headley, B Wall - Nephrol Nurs J, 2000 - [edtna-erca.it](#)

... such that any prescribed therapy by an APN required a physician co-**signature**. ... The APN relayed the **access history** to the inter- ventional radiologist who sch ...

[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)



[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



"content access" and detect and signature

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

The **"AND"** operator is unnecessary – we include all search terms by default. [\[details\]](#)

Scholar [All articles](#) [Recent articles](#) Results **31 - 40** of about **137** for **"content access" and detect and signature**

All Results

[N Dimitrova](#)

[H Zhang](#)

[B Shahraray](#)

[I Sezan](#)

[T Huang](#)

[Digital rights management for digital cinema - group of 2 »](#)

M Peinado, FAP Petitcolas, D Kirovski - Multimedia Systems, 2003 - Springer
... of copyrighted films, we can **detect** that a ... node, to which it is granting **content access**, is an ... encryption, de- crypton, signing, **signature** verification, key ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Privacy, security and confidentiality](#)

JO LUCK - infocom.cqu.edu.au

... Like a real **signature**, a digital **signature** is used to ... It is possible to **detect** known viruses, but it ... looks at issues such as data **content**, **access**, control and ...

[Related Articles](#) - [Web Search](#)

[Systems and methods for authenticating and protecting the integrity of data streams and other data - group of 2 »](#)

X Serret-Avila - US Patent 6,959,384, 2005 - Google Patents

... Rohtagi, P., "A Compact and Fast Hybrid **Signature** Scheme for Mullicase Packet Authenlicalion", 6 th ACM Conference *cited by examiner Page 3. ... **SIGNATURE** 7 ...

[Related Articles](#) - [Web Search](#)

[Survey on the Technological Aspects of Digital Rights Management - group of 7 »](#)

W Ku, CH Chi - Proceeding of the 7th Information Security Conference, 2004 - Springer
... clearinghouse which would handle all requests for **content access**. ... ing can be used to **detect** illegal copies of ... attacks by using a cryptographic **signature** of a ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Digital rights management for digital cinema - group of 7 »](#)

D Kirovski, M Peinado, FAP Petitcolas - Invited paper in Security in Imaging: Theory and ..., 2001 - research.microsoft.com

... re- release of pirated films we can **detect** that a ... node, to which it is granting **content access**, is an ... encrypted content, the license and the **signature** are sent ...

[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Broadcast Encryption's Bright Future - group of 4 »](#)

S Nusser - ssr.cse.ucsc.edu

... to exchange and check the **signature** on each ... to-end content security Open Conditional **Content Access** Management 8 ... insidious and more difficult to **detect** is a ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Trading digital intangible goods: the rules of the game - group of 10 »](#)

D Konstantas, JH Morin - ieeeexplore.ieee.org

... The second step is the actual **content access** request and acquisition of the ... crypt it knowing the previously issued session key, verify the **signatures** of both ...

[Cited by 13](#) - [Related Articles](#) - [Web Search](#)

Digital Rights Protection-a Great Challenge of the New Millennium

ME Borda - Telecommunications in Modern Satellite, Cable and ..., 2005 -

ieeexplore.ieee.org

Page 1. Session MMC: MULTIMEDIA COMMUNICATIONS Page 2. Page 3. J TELSIKS
2005

Serbia and Montenegro, Nis, September 28 - 30, 2005 Digital ...

[Related Articles](#) - [Web Search](#)

[book] Secure Audit Logging with Tamper-resistant Hardware - group of 5 »

CN Chong, Z Peng, PH Hartel - 2002 - doc.utwente.nl

... An audit log is an important tool to **detect** and to comprehend ... DES (symmetric encryption/decryption) and RSA (public key encryption/decryption and **signature**). ...

[Cited by 17](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

Caching Documents with Active Properties - group of 22 »

E de Lara, K Petersen, DB Terry, A LaMarca, J ... - Proceedings of the Seventh Workshop on Hot Topics in ..., 1998 - doi.ieeecomputersociety.org

... The verifier can thus **detect** that the file has ... identifier mapping to the content **signature** needs to ... Table 1. Document **content access** times in milliseconds for ...

[Cited by 6](#) - [Related Articles](#) - [Web Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [Next](#)



"content access" and detect and sig

[Search](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used **common signature history**

Found 8 of 20 searched out of 20.

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results


[Search Tips](#)
☐ Open results in a new window

Results 1 - 8 of 8

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Mining Software Repositories \(MSR\): Analysis of signature change patterns](#)



Sunghun Kim, E. James Whitehead, Jennifer Bevan

 May 2005 **ACM SIGSOFT Software Engineering Notes , Proceedings of the 2005 international workshop on Mining software repositories MSR '05**, Volume 30 Issue 4

Publisher: ACM Press

Full text available: pdf(155.80 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Software continually changes due to performance improvements, new requirements, bug fixes, and adaptation to a changing operational environment. Common changes include modifications to data definitions, control flow, method/function signatures, and class/file relationships. Signature changes are notable because they require changes at all sites calling the modified function, and hence as a class they have more impact than other change kinds. We performed signature change analysis over software pr ...

Keywords: signature change patterns, software evolution, software evolution path

2 [Workload analysis: Accurate, scalable in-network identification of p2p traffic using application signatures](#)



Subhabrata Sen, Oliver Spatscheck, Dongmei Wang

 May 2004 **Proceedings of the 13th international conference on World Wide Web WWW '04**

Publisher: ACM Press

Full text available: pdf(205.76 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The ability to accurately identify the network traffic associated with different P2P applications is important to a broad range of network operations including application-specific traffic engineering, capacity planning, provisioning, service differentiation, etc. However, traditional traffic to higher-level application mapping techniques such as default server TCP or UDP network-port based disambiguation is highly inaccurate for some P2P applications. In this paper, we provide an efficient approach ...

Keywords: application-level signatures, online application classification, p2p, traffic analysis

3 Traffic analysis and infrastructure monitoring: ACAS: automated construction of application signatures

Patrick Haffner, Subhabrata Sen, Oliver Spatscheck, Dongmei Wang

August 2005 **Proceeding of the 2005 ACM SIGCOMM workshop on Mining network data MineNet '05**

Publisher: ACM Press

Full text available:  [pdf\(106.49 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

An accurate mapping of traffic to applications is important for a broad range of network management and measurement tasks. Internet applications have traditionally been identified using well-known default server network-port numbers in the TCP or UDP headers. However this approach has become increasingly inaccurate. An alternate, more accurate technique is to use specific application-level features in the protocol exchange to guide the identification. Unfortunately deriving the signatures manual ...


Keywords: application signatures, application-level filter, machine learning

4 Mechanizing a theory of program composition for UNITY

Lawrence C. Paulson

September 2001 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 23 Issue 5

Publisher: ACM Press

Full text available:  [pdf\(367.50 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Compositional reasoning must be better understood if non-trivial concurrent programs are to be verified. Chandy and Sanders [2000] have proposed a new approach to reasoning about composition, which Charpentier and Chandy [1999] have illustrated by developing a large example in the UNITY formalism. The present paper describes extensive experiments on mechanizing the compositionality theory and the example, using the proof tool Isabelle. Broader issues are discussed, in particular, the formalizati ...


Keywords: Isabelle, UNITY, compositional reasoning, concurrency

5 Selective, accurate, and timely self-invalidation using last-touch prediction

An-Chow Lai, Babak Falsafi

May 2000 **ACM SIGARCH Computer Architecture News , Proceedings of the 27th annual international symposium on Computer architecture ISCA '00**, Volume 28 Issue 2

Publisher: ACM Press


Full text available:  [pdf\(147.55 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Communication in cache-coherent distributed shared memory (DSM) often requires invalidating (or writing back) cached copies of a memory block, incurring high overheads. This paper proposes Last-Touch Predictors (LTPs) that learn and predict the "last touch" to a memory block by one processor before the block is accessed and subsequently invalidated by another. By predicting a last-touch and (self-)invalidating the block in advance, an LTP hides the inval ...

6 A thread-aware debugger with an open interface

Daniel Schulz, Frank Mueller

August 2000 **ACM SIGSOFT Software Engineering Notes , Proceedings of the 2000 ACM SIGSOFT international symposium on Software testing and analysis ISSTA '00**, Volume 25 Issue 5

Publisher: ACM PressFull text available:  [pdf\(347.13 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citings](#), [index terms](#)

While threads have become an accepted and standardized model for expressing concurrency and exploiting parallelism for the shared-memory model, debugging threads is still poorly supported. This paper identifies challenges in debugging threads and offers solutions to them. The contributions of this paper are threefold. First, an open interface for debugging as an extension to thread implementations is proposed. Second, extensions for thread-aware debugging are identified and implemented with ...

Keywords: active debugging, concurrency, debugging, open interface, threads7 [Extending cryptographic logics of belief to key agreement protocols](#)

Paul van Oorschot

December 1993

Proceedings of the 1st ACM conference on Computer and communications security CCS '93**Publisher:** ACM PressFull text available:  [pdf\(1.35 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citings](#), [index terms](#)

The authentication logic of Burrows, Abadi and Needham (BAN) provided an important step towards rigorous analysis of authentication protocols, and has motivated several subsequent refinements. We propose extensions to BAN-like logics which facilitate, for the first time, examination of public-key based authenticated key establishment protocols in which both parties contribute to the derived key (i.e. key agreement protocols). Attention is focussed on six distinct generic goals for authentic ...

8 [An expressive language of signatures](#)

Norman Ramsey, Kathleen Fisher, Paul Govereau

September 2005

ACM SIGPLAN Notices , Proceedings of the tenth ACM SIGPLAN international conference on Functional programming ICFP '05, Volume 40 Issue 9**Publisher:** ACM PressFull text available:  [pdf\(280.10 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Current languages allow a programmer to describe an interface only by enumerating its parts, possibly including other interfaces wholesale. Such languages cannot express relationships between interfaces, yet when independently developed software components are combined into a larger system, significant relationships arise. To address this shortcoming, we define, as a conservative extension of ML, a language for manipulating interfaces. Our language includes operations for adding, renaming, and re ...

Keywords: interfaces, objective Caml, programming in the large, signature manipulation, signatures, standard ML

Results 1 - 8 of 8

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(file access<in>metadata) and history"

☒ e-mail

Your search matched 21 of 1484991 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

 [Select All](#) [Deselect All](#)

- ☐ 1. **Using multiple predictors to improve the accuracy of file access prediction**
Whittle, G.A.S.; Paris, J.-F.; Amer, A.; Long, D.D.E.; Burns, R.;
[Mass Storage Systems and Technologies, 2003. \(MSST 2003\). Proceedings.](#)
[NASA Goddard Conference on](#)
7-10 April 2003 Page(s):230 - 240
[AbstractPlus](#) | Full Text: [PDF](#)(320 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Effective Load Balancing in P2P Systems**
Zhiyong Xu; Bhuyan, L.;
[Cluster Computing and the Grid, 2006. CCGRID 06. Sixth IEEE International S](#)
Volume 1, 16-19 May 2006 Page(s):81 - 88
Digital Object Identifier 10.1109/CCGRID.2006.38
[AbstractPlus](#) | Full Text: [PDF](#)(272 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Reducing the energy of speculative instruction schedulers**
Yongxiang Liu; Memik, G.; Reinman, G.;
[Computer Design: VLSI in Computers and Processors, 2005. ICCD 2005. Proc](#)
[IEEE International Conference on](#)
2-5 Oct. 2005 Page(s):641 - 646
Digital Object Identifier 10.1109/ICCD.2005.92
[AbstractPlus](#) | Full Text: [PDF](#)(272 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **WWW traffic reduction and load balancing through server-based caching**
Bestavros, A.;
[Concurrency, IEEE \[see also IEEE Parallel & Distributed Technology\]](#)
Volume 5, Issue 1, Jan.-March 1997 Page(s):56 - 67
Digital Object Identifier 10.1109/4434.580451
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(276 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 5. **Get timely files from visualized structure of your working history**
Ohsawa, Y.;
[Knowledge-Based Intelligent Information Engineering Systems, 1999. Third Int](#)
[Conference](#)
31 Aug.-1 Sept. 1999 Page(s):546 - 549

Digital Object Identifier 10.1109/KES.1999.820244

[AbstractPlus](#) | Full Text: [PDF\(324 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **6. A caching strategy to reduce network impacts of PCS**
Jain, R.; Yi-Bing Lin; Lo, C.; Mohan, S.;
[Selected Areas in Communications, IEEE Journal on](#)
Volume 12, Issue 8, Oct. 1994 Page(s):1434 - 1444
Digital Object Identifier 10.1109/49.329333
[AbstractPlus](#) | Full Text: [PDF\(1020 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **7. Remote Storage for Mobile Devices**
Tolvanen, J.; Suihko, T.; Lipasti, J.; Asokan, N.;
[Communication System Software and Middleware, 2006. Comsware 2006. First](#)
[Conference on](#)
08-12 Jan. 2006 Page(s):1 - 9
[AbstractPlus](#) | Full Text: [PDF\(144 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **8. In-Register Duplication: Exploiting Narrow-Width Value for Improving Reliability**
Jie Hu; Shuai Wang; Ziavras, S.G.;
[Dependable Systems and Networks, 2006. DSN 2006. International Conference](#)
25-28 June 2006 Page(s):281 - 290
Digital Object Identifier 10.1109/DSN.2006.43
[AbstractPlus](#) | Full Text: [PDF\(560 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **9. Leveraging the Client-Server Model in P2P: Managing Concurrent File Up System**
Borowsky, E.; Logan, A.; Signorile, R.;
[Telecommunications, 2006. AICT-ICIW '06. International Conference on Intern](#)
[Applications and Services/Advanced International Conference on](#)
19-25 Feb. 2006 Page(s):114 - 114
Digital Object Identifier 10.1109/AICT-ICIW.2006.123
[AbstractPlus](#) | Full Text: [PDF\(184 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **10. Disk Cache Replacement Algorithm for Storage Resource Managers in Distributed**
Otoo, E.; Olken, F.; Shoshani, A.;
[Supercomputing, ACM/IEEE 2002 Conference](#)
16-22 Nov. 2002 Page(s):12 - 12
Digital Object Identifier 10.1109/SC.2002.10043
[AbstractPlus](#) | Full Text: [PDF\(304 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **11. DFS: a de-fragmented file system**
Woo Hyun Ahn; Kyungbaek Kim; Yongjin Choi; Daeyeon Park;
[Modeling, Analysis and Simulation of Computer and Telecommunications Syst](#)
[MASCOTS 2002. Proceedings. 10th IEEE International Symposium on](#)
11-16 Oct. 2002 Page(s):71 - 80
Digital Object Identifier 10.1109/MASCOT.2002.1167062
[AbstractPlus](#) | Full Text: [PDF\(336 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **12. Real-time file performance of a completely decentralized adaptive file system**
Wedde, H.F.; Alijani, G.S.; Baran, D.; Kang, G.; Kim, B.-K.;
[Real Time Systems Symposium, 1989., Proceedings](#)

5-7 Dec. 1989 Page(s):340 - 347

Digital Object Identifier 10.1109/REAL.1989.63586

[AbstractPlus](#) | [Full Text: PDF\(744 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **13. A file-based adaptive prefetch caching design**
Shih, F.W.; Lee, T.-C.; Ong, S.;
[Computer Design: VLSI in Computers and Processors, 1990. ICCD '90. Proceedings of the IEEE International Conference on](#)
17-19 Sept. 1990 Page(s):463 - 466
Digital Object Identifier 10.1109/ICCD.1990.130280
[AbstractPlus](#) | [Full Text: PDF\(280 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **14. File system design using large memories**
Staelin, C.; Garcia-Molina, H.;
[Information Technology, 1990. 'Next Decade in Information Technology', Proc. Jerusalem Conference on \(Cat. No.90TH0326-9\)](#)
22-25 Oct. 1990 Page(s):11 - 21
Digital Object Identifier 10.1109/JCIT.1990.128264
[AbstractPlus](#) | [Full Text: PDF\(820 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **15. File storage management for TFTR physics data**
Ludescher, C.; Carroll, T.; Murphy, J.; Zarnstorff, M.;
[Fusion Engineering, 1991. Proceedings., 14th IEEE/NPSS Symposium on](#)
30 Sept.-3 Oct. 1991 Page(s):856 - 859 vol.2
Digital Object Identifier 10.1109/FUSION.1991.218712
[AbstractPlus](#) | [Full Text: PDF\(396 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **16. Scalable, secure, and highly available distributed file access**
Satyanarayanan, M.;
[Computer](#)
Volume 23, Issue 5, May 1990 Page(s):9 - 18, 20-21
Digital Object Identifier 10.1109/2.53351
[AbstractPlus](#) | [Full Text: PDF\(1116 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **17. Transforming binary code for low-power embedded processors**
Petrov, P.; Orailoglu, A.;
[Micro, IEEE](#)
Volume 24, Issue 3, May-Jun 2004 Page(s):21 - 33
Digital Object Identifier 10.1109/MM.2004.18
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(216 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **18. Towards an Economy-Based Optimisation of File Access and Replication**
Carman, M.; Zini, F.; Serafini, L.; Stockinger, K.;
[Cluster Computing and the Grid, 2002. 2nd IEEE/ACM International Symposium on](#)
21-24 May 2002 Page(s):340 - 340
Digital Object Identifier 10.1109/CCGRID.2002.1017156
[AbstractPlus](#) | [Full Text: PDF\(136 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **19. Cegor: an adaptive distributed file system for heterogeneous network en**
Shi, W.; Santhosh, S.; Lufei, H.;
[Parallel and Distributed Systems, 2004. ICPADS 2004. Proceedings. Tenth Int. Conference on](#)

7-9 July 2004 Page(s):145 - 152

Digital Object Identifier 10.1109/ICPADS.2004.1316090

[AbstractPlus](#) | Full Text: [PDF](#)(292 KB) IEEE CNF

[Rights and Permissions](#)

- ☐ **20. VegaFS: a prototype for file-sharing crossing multiple administrative domains**
Wei Li; Jianmin Liang; Zhiwei Xu;
[Cluster Computing, 2003. Proceedings. 2003 IEEE International Conference on](#)
2003 Page(s):224 - 231
Digital Object Identifier 10.1109/CLUSTER.2003.1253319
[AbstractPlus](#) | Full Text: [PDF](#)(251 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **21. Automatic processing of multimodality data for functional PET analysis**
Crabb, A.H.; Yun Zhou; Rousset, O.G.; Wong, D.F.;
[Nuclear Science Symposium Conference Record, 2002 IEEE](#)
Volume 3, 10-16 Nov. 2002 Page(s):1797 - 1801 vol.3
Digital Object Identifier 10.1109/NSSMIC.2002.1239671
[AbstractPlus](#) | Full Text: [PDF](#)(318 KB) IEEE CNF
[Rights and Permissions](#)



[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2006 IEEE – All Rights Reserved



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(file access<in>metadata) and signature"

☒ e-mail

Your search matched 8 of 1484991 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

 [Select All](#) [Deselect All](#)

- ☐ 1. **Paranoid: a global secure file access control system**
 Zaffar, F.; Kedem, G.; Gehani, A.;
[Computer Security Applications Conference, 21st Annual](#)
 5-9 Dec. 2005 Page(s):9 pp.
 Digital Object Identifier 10.1109/CSAC.2005.42
[AbstractPlus](#) | Full Text: [PDF](#)(768 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **VegaFS: a prototype for file-sharing crossing multiple administrative don**
 Wei Li; Jianmin Liang; Zhiwei Xu;
[Cluster Computing, 2003. Proceedings. 2003 IEEE International Conference o](#)
 2003 Page(s):224 - 231
 Digital Object Identifier 10.1109/CLUSTER.2003.1253319
[AbstractPlus](#) | Full Text: [PDF](#)(251 KB) IEEE CNF
[Rights and Permissions](#)
- ☒ 3. **Selecting signature files for specific applications**
 Tiberio, P.; Zezula, P.;
[CompEuro '91. 'Advanced Computer Technology, Reliable Systems and Appli](#)
[Annual European Computer Conference. Proceedings.](#)
 13-16 May 1991 Page(s):718 - 725
 Digital Object Identifier 10.1109/CMPEUR.1991.257479
[AbstractPlus](#) | Full Text: [PDF](#)(516 KB) IEEE CNF
[Rights and Permissions](#)
- ☒ 4. **When to use partitioned signature files for retrieving information in multi**
 Edirisooriya, S.; Edirisooriya, G.;
[Compcon Spring '93, Digest of Papers.](#)
 22-26 Feb. 1993 Page(s):23 - 28
 Digital Object Identifier 10.1109/CMPCON.1993.289629
[AbstractPlus](#) | Full Text: [PDF](#)(464 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **Remote access and networked appliance control using biometrics featur**
 Rahman, M.; Bhattacharya, P.;
[Consumer Electronics, IEEE Transactions on](#)
 Volume 49, Issue 2, May 2003 Page(s):348 - 353
 Digital Object Identifier 10.1109/TCE.2003.1209524

[AbstractPlus](#) | Full Text: [PDF\(486 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **6. Authorization of data access in distributed storage systems**
Feichtinger, D.; Peters, A.J.;
[Grid Computing, 2005. The 6th IEEE/ACM International Workshop on](#)
13-14 Nov. 2005 Page(s):7 pp.
Digital Object Identifier 10.1109/GRID.2005.1542739
[AbstractPlus](#) | Full Text: [PDF\(176 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **7. Authentication with controlled anonymity in P2P systems**
Wierzbicki, A.; Zwierko, A.; Kotulski, Z.;
[Parallel and Distributed Computing, Applications and Technologies, 2005. PDC](#)
[International Conference on](#)
05-08 Dec. 2005 Page(s):871 - 875
Digital Object Identifier 10.1109/PDCAT.2005.95
[AbstractPlus](#) | Full Text: [PDF\(328 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **8. Protecting data from malicious software**
Schmid, M.; Hill, F.; Ghosh, A.K.;
[Computer Security Applications Conference, 2002. Proceedings. 18th Annual](#)
9-13 Dec. 2002 Page(s):199 - 208
Digital Object Identifier 10.1109/CSAC.2002.1176291
[AbstractPlus](#) | Full Text: [PDF\(330 KB\)](#) IEEE CNF
[Rights and Permissions](#)



[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE –